


DEALER INFORMATION			SHIP TO INFORMATION		
Dealer:	Account:		Name:	Ship Via:	
Ordered By:	PO:		Address:		
Address:			City:	State:	Zip:
City:	State:	Zip:	Phone:		
Phone:	Fax:		Fax:		
Email:			TiLite Information		
Mark For:			Ship Date:	Order #:	


Please **Fax** to the TiLite Customer Service Team at **866.586.2413** or **509.586.2413**

FRAME STYLE

- ZFS1 ☐ **TiLite ZR** (Minimal Adjustability).....**\$2,895 K0009/ E1229¹**
 (250 Pound Weight Limit)
 ZPWR1 ☐ Power Adaptable Frame².....**\$300**
 ZRFR1 ☐ Reinforced Frame.....**\$300**



- ZFS2 ☐ **TiLite ZRA** (Full Adjustability).....**\$2,695 K0009/ E1229¹**
 (250 Pound Weight Limit)
 ZPWR1 ☐ Power Adaptable Frame².....**\$300**
 ZRFR1 ☐ Reinforced Frame.....**\$300**



Color check your Ti with the TiLite Color Matrix at www.tilite.com.



FRAME FINISH³

- ZFF1 ☐ Satin**STD**
 ZFF2 ☐ Polished.....**\$650**

COLOR ANODIZE PACKAGE^{3, 4}

- ZANO1 ☐ Black**STD**
 ZANO2 ☐ Blue Lagoon ZANO3 ☐ Red Pepper**\$95**
 ZANO4 ☐ Green Apple ZANO5 ☐ Sapphire**\$95**

FRAME MEASUREMENTS



REAR SEAT WIDTH A Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post.
 ZRSW1 ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18"**STD**
 ZRSW2 ☐ 19" ☐ 20"**\$300 E2201⁵**



THE ULTIMATE RIDE.™
 tilite.com
 1426 East Third Avenue | Kennewick, Washington 99337
 509.586.6117 Tel | 800.545.2266 Toll-Free
 509.586.2413 Fax | 866.586.2413 Toll-Free Fax

See **End Notes** on Page 6.


FRAME MEASUREMENTS

SEAT DEPTH ③ Measure from front of back post to the front edge of seat sling. Front edge of seat sling will be at the beginning of the bend at front of chair frame, unless Frog Legs® or a 90° Front Angle is ordered, in which case front edge of seat sling begins approximately 1" behind the bend.

ZSD1 ☐ 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18".....**STD**
 ZSD2 ☐ 19" ☐ 20".....**\$300 E2203⁵**
 ZSD3 ☐ Frame Depth Longer or Shorter Than
 Seat Depth⁶.....**\$150**
 Custom Frame Depth: _____"

ERGONOMIC SEAT Measure from front of back post to beginning of upward bend of seat tube. (**ZR** only)

ZERG1 ☐ 4" ☐ 5" ☐ 6" ☐ 7" ☐ 8" ☐ 9" ☐ 10"**\$300**



FRONT SEAT HEIGHT ④ Measure from floor to top of seat tube at beginning of bend. ZRA adjusts up and down in 1/2" increments.

ZFSH1 ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18" ☐ 18.5"
 ZFSH1 ☐ 19" ☐ 19.5" ☐ 20" ☐ 20.5" ☐ 21".....**STD**

REAR SEAT HEIGHT ⑤ Measure from floor to top of seat tube at back post. ZRA adjusts up and down in 1/2" increments.

ZRSH1 ☐ 12.5" ☐ 13" ☐ 13.5" ☐ 14" ☐ 14.5" ☐ 15"
☐ 15.5" ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5"
☐ 18" ☐ 18.5" ☐ 19" ☐ 19.5" ☐ 20".....**STD**

REAR SEAT HEIGHT RANGES

Rear Wheel Size	ZRA Rear Seat Heights ⑤	ZR Rear Seat Heights ⑤
20"	12.5" - 18.5"	12.5" - 20"
22"	14.0" - 19"	14.0" - 20"
24"	14.5" - 20"	14.5" - 20"
25"	14.5" - 20"	14.5" - 20"
26"	15.5" - 20"	15.5" - 20"

SEAT TO FOOTREST ⑥/FOOTRESTS Measure from front edge of seat sling to top rear of footrest. **Measurement must be at least 2" shorter than Front Seat Height ④.**

☐ 13.5" ☐ 14" ☐ 14.5" ☐ 15" ☐ 15.5" ☐ 16"
☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18" ☐ 18.5" ☐ 19"
 ZFTR1 ☐ Titanium Footrest w/Flat ABS Cover.....**STD**
 ZFTR2 ☐ Titanium Open Loop Footrest**\$50**
 ZFTR3 ☐ Angle Adjustable Footrest**NCO K0040**
☐ 7"-9" ☐ 9"-11" ☐ 11"-13 Set at _____(Use 1/2" increments)
 ZFTR4 ☐ Angle Adjustable High Mount Footrest.....**\$85 K0040**
Available on All Footrests
 ZFTR5 ☐ ABS Cover w/2" Sides.....**\$95 K0041**

SEAT BACK HEIGHT ⑦/SEAT BACKS/PUSH HANDLES Measure from top of back post to top of seat tube at rear of frame.

☐ **Folding, Adjustable-Height Seat Back**
☐ 8.5"- 12.5" ☐ 12.5"- 16.5" ☐ 16.5"- 20.5"
 Set at _____(Use 1/2" increments)
 ZSB1 ☐ Aluminum w/Black Aluminum TiShaft
 Back Release Bar.....**STD**
 ZSB2 ☐ w/Bolt-On Push Handles⁷.....**\$175**
 ZSB3 ☐ w/Bolt-On Height-Adjustable
 Push Handles⁷.....**\$295**
 ZSB4 ☐ Titanium w/Titanium TiShaft Back
 Release Bar.....**\$150**
☐ **Folding, Adjustable-Height Seat Back with Push
 Handles Integrated on Back Post**
☐ 9.5"- 12.5" ☐ 13.5"- 16.5" ☐ 17.5"- 20.5"
 Set at _____(Use 1/2" increments)
 ZSB5 ☐ Aluminum w/Black Aluminum TiShaft
 Back Release Bar.....**\$85**
 ZSB6 ☐ Titanium w/Titanium TiShaft
 Back Release Bar.....**\$235**
Available on all Backs
 ZSB8 ☐ 4" Deep Backrest Rigidizer Bar.....**NCO**
 ZSB9 ☐ Depth Adjustable Back⁸.....**\$185**

SEAT BACK ANGLE ⑧ Measure angle from front of back post to floor. 90° will be perpendicular to the floor. To approximate the angle from the back post to the seat, subtract 2 degrees from measurement ⑧ for every .5" of dump.

ZSBA1 ☐ 80° ☐ 83° ☐ 86° ☐ 89° ☐ 92° ☐ 95°
☐ 98° ☐ 101°.....**STD**

CENTER OF GRAVITY ⑨ Measure from front of back post at the seat tube to the center of the rear axle.

ZCOG1 ☐ 1" ☐ 1.25" ☐ 1.5" ☐ 1.75"
☐ 2" ☐ 2.25" ☐ 2.5" ☐ 2.75"
☐ 3" ☐ 3.25" ☐ 3.5" ☐ 3.75"
☐ 4" ☐ 4.25" ☐ 4.5" ☐ 4.75"
☐ 5" ☐ 5.25" ☐ 5.5" ☐ 5.75"
☐ 6".....**STD**

FRAME MEASUREMENTS

FOOTREST WIDTH ① Do not complete this measurement if C Package (Tapered Seat and/or V-Front End) will be selected in column 2 of this page. Measure from inside of front frame tube to inside of opposite front frame tube.....**STD**

FOOTREST WIDTH ① (INSIDE MEASUREMENT)

ZF W1

Rear Seat Width ④ (Outside Measurement)	No Taper (2.5" Narrower than Seat Width)	1.5" Taper (4" Narrower than Seat Width)	3.5" Taper (6" Narrower than Seat Width)
12"	<input type="radio"/> 9.5"	<input type="radio"/> 8"	
13"	<input type="radio"/> 10.5"	<input type="radio"/> 9"	
14"	<input type="radio"/> 11.5"	<input type="radio"/> 10"	
15"	<input type="radio"/> 12.5"	<input type="radio"/> 11"	<input type="radio"/> 9"
16"	<input type="radio"/> 13.5"	<input type="radio"/> 12"	<input type="radio"/> 10"
17"	<input type="radio"/> 14.5"	<input type="radio"/> 13"	<input type="radio"/> 11"
18"	<input type="radio"/> 15.5"	<input type="radio"/> 14"	<input type="radio"/> 12"
19"	<input type="radio"/> 16.5"	<input type="radio"/> 15"	<input type="radio"/> 13"
20"	<input type="radio"/> 17.5"	<input type="radio"/> 16"	<input type="radio"/> 14"

REAR WHEEL SPACING ① Measure from outside of seat back post to inside of rear tire. 3/4" Rear Wheel Spacing not available with 0° or 2° Camber ④.

ZRWS1 ☐ .75" ☐ 1" ☐ 1.25" ☐ 1.5" ☐ 1.75" ☐ 2".....**STD**

CAMBER ④/CAMBER TUBES

ZCBR1 ☐ 0° ☐ 2° ☐ 4° ☐ 6° ☐ 8° ☐ 12°.....**STD**

ZCBR2 ☐ 15° ☐ 18°.....**\$75**

ZCBR3 ☐ Titanium Camber Tube.....**\$50**

ZCBR5 ☐ Additional Aluminum Camber Tube

☐ 0° ☐ 2° ☐ 4° ☐ 6° ☐ 8° ☐ 12° ☐ 15° ☐ 18° **\$100**

ZCBR6 ☐ Additional Titanium Camber Tube

☐ 0° ☐ 2° ☐ 4° ☐ 6° ☐ 8° ☐ 12° ☐ 15° ☐ 18° **\$100**

☐ Additional Spacers to Increase Rear Wheel Spacing...**NCO**

FRONT ANGLE ① Measure from frame front to floor.

ZFA1 ☐ 70° ☐ 75° ☐ 80° ☐ 85° ☐ 90°.....**STD**


C PACKAGE

ZCPAK1 ☐ Tapered Seat and/or V-Front End (Measurements ① and/or ⑤ are required for C Package).....**\$200 K0108**

TAPERED SEAT WIDTH ① Measure from inside of front frame tube to inside of opposite front frame tube.


FRONT SEAT WIDTH ① (INSIDE MEASUREMENT)

Rear Seat Width ④ (Outside Measurement)	No Seat Taper (2.5" Narrower than Rear Seat Width)	1.5" Seat Taper (4" Narrower than Rear Seat Width)	2.5" Seat Taper (5" Narrower than Rear Seat Width)
12"	<input type="radio"/> 9.5"	<input type="radio"/> 8"	<input type="radio"/> 7"
13"	<input type="radio"/> 10.5"	<input type="radio"/> 9"	<input type="radio"/> 8"
14"	<input type="radio"/> 11.5"	<input type="radio"/> 10"	<input type="radio"/> 9"
15"	<input type="radio"/> 12.5"	<input type="radio"/> 11"	<input type="radio"/> 10"
16"	<input type="radio"/> 13.5"	<input type="radio"/> 12"	<input type="radio"/> 11"
17"	<input type="radio"/> 14.5"	<input type="radio"/> 13"	<input type="radio"/> 12"
18"	<input type="radio"/> 15.5"	<input type="radio"/> 14"	<input type="radio"/> 13"
19"	<input type="radio"/> 16.5"	<input type="radio"/> 15"	<input type="radio"/> 14"
20"	<input type="radio"/> 17.5"	<input type="radio"/> 16"	<input type="radio"/> 15"



V-FRONT END ⑤ Measure from inside of front frame tube to inside of opposite front frame tube 2-1/2" above footrest.

☐ 7" ☐ 7.5" ☐ 8" ☐ 8.5" ☐ 9" ☐ 9.5"
☐ 10" ☐ 10.5" ☐ 11" ☐ 11.5" ☐ 12" ☐ 12.5"
☐ 13" ☐ 13.5" ☐ 14" ☐ 14.5" ☐ 15" ☐ 15.5"
☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18"



CHAIR OPTIONS

FRONT WHEELS

ZFW1	○ 3"x.75" Micro-Caster.....	STD	
ZFW2	○ 3"x.75" Light-Up Micro-Caster.....	\$65	
ZFW3	○ 4"x.75" Light-Up Micro-Caster.....	\$65	
ZFW4	○ 4"x.75" Billet Aluminum Wheel w/Poly Tire.....	\$125	
ZFW5	○ 4"x1" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire.....	\$165	E2219
ZFW6	○ 5"x1" Plastic Wheel w/Poly Tire ⁹	NCO	
ZFW7	○ 5"x1" Billet Aluminum Wheel w/Poly Tire ⁹	\$145	
ZFW8	○ 5"x1" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire ⁹	\$185	E2219
ZFW9	○ 6"x1" Plastic Wheel w/Poly Tire ¹⁰	NCO	
ZFW10	○ 6"x1.25" Plastic Wheel w/Pneumatic Tire ¹⁰	\$65	E2215
ZFW11	○ 6"x1" Billet Aluminum Wheel w/Poly Tire ¹⁰	\$165	
ZFW12	○ 6"x1.25" Billet Aluminum Wheel w/Pneumatic Tire ¹⁰	\$165	E2215
ZFW13	○ 6"x1.25" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire ¹⁰	\$195	E2219
ZFRG1	○ Frog Legs® Suspension Forks ¹¹	\$345	E1015
ZCPL1	○ Caster Pin Locks ¹²	\$225	K0073
ZFW0	○ Omit Front Wheels (Must Choose Wheel Size Above).....	\$20	

REAR WHEELS See Rear Seat Height Ranges chart on Page 2.

ZRW1	○ Spinergy WIRE™ Wheel w/Low Flange Hub.....	STD	
	○ 20"(451) ○ 22"(501) ○ 24"(540) ○ 25"(559) ○ 26"(590)		
ZRW2	○ TiLite® Wheel w/High Flange Hub.....	\$225	
	○ 24"(540) ○ 25"(559) ○ 26"(590)		
ZRW3	○ Spinergy SPOX™ ³ ○ Black ○ Red ○ Yellow ○ Blue ○ White.....	\$695	K0108
	○ 22"(501) - Std. Hub ○ 24"(540) - Std. Hub ○ 25"(559) - Std. Hub ○ 26"(590) - Sport Hub		
ZRW4	○ Spinergy LX™ ³ ○ Black ○ Red ○ Yellow ○ Blue ○ White.....	\$895	K0108
	○ 22"(501) - Std. Hub ○ 24"(540) - Std. Hub ○ 25"(559) - Std. Hub ○ 26"(590) - Sport Hub		
ZRW5	○ Skyway® Mags ○ 20" ○ 22" ○ 24".....	\$50	
ZRW0	○ Omit Rear Wheels (Must Choose Wheel Size Above and Tire Type Below).....	\$50	

PNEUMATIC REAR TIRES

ZRTR1	○ Treaded ¹³	STD	E2211
ZRTR2	○ Airless Inserts ¹⁴	\$125	E2213
ZRTR3	○ 25" Primo® Treaded ¹⁵	STD	E2211
ZRTR4	○ Primo®.....	NCO	E2211
ZRTR5	○ Kenda® High Pressure (110psi) ^{3,16} ○ Grey ○ Red ○ Blue.....	\$65	E2211
ZRTR6	○ 24" Grey Knobby ¹⁷	\$75	E2211
ZRTR7	○ 26" Black Knobby ¹⁸	\$75	E2211
ZRTR8	○ 24", 25" and 26" Schwalbe Marathon Plus Evolution.....	\$95	E2211
ZRTR9	○ 24" and 25" Schwalbe SpeedRun.....	\$110	E2211

SOLID REAR TIRES

ZRTR8	○ 20" (451) Treaded Poly.....	\$65	
ZRTR9	○ 22"(501) Pyramid.....	\$65	
ZRTR10	○ 24"(540) HerringboneTread.....	\$80	
ZRTR10	○ 25"(559) HerringboneTread.....	\$80	

HANDRIMS

ZRIM1	○ Aluminum – Silver Anodized.....	STD	
ZRIM2	○ Titanium ¹⁹	\$400	
ZRIM3	○ Natural Fit™ Regular Grip ²⁰	\$295	
ZRIM4	○ Natural Fit™ Super Grip ²⁰	\$340	
ZRIM5	○ Plastic Coated – Black.....	\$95	
ZRIM6	○ Projections - 8 Vertical Projections ²¹	\$240	
ZRIM7	○ Long Tabs.....	STD	
ZRIM8	○ Short Tabs ²⁹	\$15	
ZRIM0	○ Omit Handrims.....	\$15	

WHEEL LOCKS

ZWLK1	○ Standard Push to Lock ²²	NCO	
ZWLK2	○ Composite Scissor Lock.....	\$110	
ZWLK3	○ Uni-Lock.....Set At: ○ Push...○ Pull.....	\$135	
ZWLK4	○ Uni-Lock Extension Handles.....	\$50	E0961

UPHOLSTERY COLORS³

ZUPC1	○ Black.....	STD	
ZUPC2	○ Ti Red ○ Royal Blue ○ Navy Blue.....	\$50	
ZUPC2	○ Hunter Green ○ Purple ○ Digital Camo.....	\$50	

BACK UPHOLSTERY

ZBUP1	○ Velcro Adjustable.....	STD	
ZBUP2	○ Tension Adjustable by Straps.....	\$150	
ZBUP0	○ Omit Back Upholstery.....	NCO	
ZBUP3	○ Ride Designs® Corbac™ Adjustable Contour Back Support (Black Only).....	\$375	E2611

CORBAC™ SEAT WIDTH/BACK HEIGHT AVAILABILITY CHART

Rear Seat Width A	Seat Back Height B
14"	13" - 15"
15"	13" - 16"
16"	14" - 16"
17"	14" - 16"
18"	14" - 16"

SEAT UPHOLSTERY

ZSUP1	○ Tension Adjustable Bolt On ²³	STD	
ZSUP2	○ Tension Adjustable by Straps ²⁴	\$150	
ZSUP3	○ Aluminum Solid Seat ²⁵	\$225	E2618
ZSUP0	○ Omit Seat Upholstery.....	NCO	

SIDE GUARDS

ZSDG1	○ Cloth ²⁶	\$65	
-------	-----------------------------	-------------	--

Aluminum

ZSDG2	○ Rigid Removable ○ Small ○ Std.....	\$175	
ZSDG3	○ Quad Removable w/Hole ○ Small ○ Std.....	\$185	
ZSDG4	○ Fold Down Rigid ²⁵ ○ Small ○ Std.....	\$325	

Carbon Fiber

ZSDG5	○ Rigid Removable ○ Small ○ Std.....	\$250	
ZSDG6	○ Quad Removable w/Hole ○ Small ○ Std.....	\$260	
ZSDG7	○ Fold Down Rigid ²⁵ ○ Small ○ Std.....	\$400	

CHAIR OPTIONS

SEAT CUSHIONS

ZCSH1	○ Foam Cushion	○ 2" ○ 3" ○ 4".....	\$95	
ZCSH2	○ StimuLITE® Sport	(2" Black 13"x15" to 20"x 20") ²⁷	\$495	E2603
ZCSH3	○ Corbee® (2" Black 12"x 12" to 14"x 14 ") ²⁷		\$495	E2603
ZCSH4	○ ROHO® Low Profile Quadtro Select ²⁷		\$495	K0734
ZCSH5	○ ROHO® Custom ²⁷		\$595	K0734
ZCSH6	○ VARILITE™ Evolution (Black Only).....		\$425	K0734
ZCSH7	○ VARILITE™ Zoid (Black Only).....		\$425	K0734

VARILITE™ SEAT CUSHION AVAILABILITY CHART

Seat Width [Ⓐ]	Seat Depth [Ⓑ]	
	VARILITE™ Evolution	VARILITE™ Zoid
12"	14"	8", 12", 14"
13"	NONE	NONE
14"	14", 16", 18", 20"	14", 16", 18"
15"	15", 17"	15", 17"
16"	14", 16", 18", 20"	16", 18", 20"
17"	17"	17"
18"	16", 18", 20"	16", 18", 20"
19"	NONE	NONE
20"	16", 18", 20"	16", 18", 20"

AXLES

ZAXL1	○ Stainless Quick Release.....	STD
ZAXL2	○ Titanium Quick Release ²⁸	\$195
ZAXL3	○ Quad Release ²⁹	\$95

ARMRESTS

ZARM1	○ Swing Away Tubular ³⁰	
	○ 9" to 12" ○ 11" to 14"	\$195 E0973
	○ Covered in Black Alcantara® Ultrasuede®.....	\$75
ZARM4	○ Swing Away - Flip Back Tubular	\$275
	○ Covered in Black Alcantara® Ultrasuede®.....	\$75
ZARM2	○ Removable Height Adjustable Desk Arm with Rigid Side Guard	
	○ 9" to 12" ○ 12" to 15".....	\$350 E0973
	○ Covered in Black Alcantara® Ultrasuede®.....	\$75
ZARM3	○ Removable Height Adjustable Desk Arm with Rigid Side Guard and Transfer Loop ³¹	
	○ 9" to 12" ○ 12" to 15".....	\$395 E0973
	○ Covered in Black Alcantara® Ultrasuede®.....	\$75

SEAT BELTS

ZBLT1	○ Velcro Adjustable, Black Nylon Webbing.....	\$45 E0978
ZBLT2	○ Bodypoint Auto-Style Release Buckle.....	\$75 E0978

CALF STRAP

ZCLF1	○ Buckle Adjustable, Black Nylon Webbing.....	\$25 K0038
ZCLF2	○ Velcro Adjustable	\$35 K0038
	○ Xtra Small (Recommended for 10"- 13" Seat Widths)	
	○ Small (Recommended for 12"- 15" Seat Widths)	
	○ Medium (Recommended for 14"- 18" Seat Widths)	
	○ Large (Recommended for 17"- 19" Seat Widths)	
	○ Xtra Large (Recommended for 18"- 20" Seat Widths)	
ZCLF3	○ Bodypoint Padded Velcro Adjustable	\$65
	○ Small (Recommended for 12"- 15" Seat Widths)	
	○ Large (Recommended for 16"- 20" Seat Widths)	

BACK PACK

ZBCK1	○ Small - Black Nylon	\$50
ZBCK2	○ Large - Black Nylon.....	\$65

SEAT POUCH

ZPCH1	○ Small - Black Nylon.....	\$40
ZPCH2	○ Large - Black Nylon.....	\$45

SPOKE GUARDS

ZGRD1	○ Clear Lexan with TiMotion Logo ³²	\$90 K0065
-------	--	--------------------------

ANTI-TIPS

ZTIP1	○ Rear Aluminum - Black.....	\$150 E0971
ZTIP3	○ User Friendly Rear Flip-up.....	\$245 E0971
ZTIP2	○ Front Anti-Tip ³³	\$95 E0971

ACCESSORIES

ZLUG1	○ Luggage Carriers.....	\$125
ZMPCT1	○ Neoprene Impact Guards ³	\$55

END NOTES

1. For Rear Seat Width **A** and Seat Depth **B** of 15" or greater, use K0009. For Rear Seat Width **A** and Seat Depth **B** of less than 15" use E1229.
2. No charge when 19" or 20" Rear Seat Width **A** and 19" or 20" Seat Depth **B** are selected. Requires Billet Aluminum Front Wheel and 0° Camber.
3. Accessorize your Ti with color components. Mix and Match colors with ease on TiLite's Color Matrix at tilite.com.
4. Color Anodize Package for ZR/ZRA includes: Camber Tube, Camber Mount, Footrest Clamp, Caster Fork, Caster Cap and Caster Mount (not included on ZR). Check out our online Color Matrix at tilite.com.
5. HCPCS code only applies to 20" Rear Seat Width **A** and Seat Depth **B**. 19" or 20" Seat Depth **B** not available with Depth Adjustable Back.
6. A Custom Frame Depth of 19" or 20" is \$450 if Seat Depth **B** of 19" or 20" is not also selected.
7. Includes 4" Deep Backrest Rigidizer Bar.
8. Not Available on ZR. Seat Depths **B** of 12"-15" allow 3" of rearward adjustment. Seat Depths **B** of 16"-18" allow 2" of rearward adjustment. Our TiShaft Back Release Bar is not available with the Depth Adjustable Back. Depth Adjustable Back comes with a pull cord back release.
9. Not available with 90° Front Angle **L**.
10. Not available with 85° or 90° Front Angle **L**.
11. Available in Silver anodize only.
12. Not available with Frog Legs®.
13. Not available with 25"(559) Rear Wheels.
14. Not available with Spinergy SPOX™ or Spinergy LX™ Rear Wheels.
15. Standard with 25"(559) Rear Wheels.
16. Available with 24" (540), 25"(559) and 26"(590) Rear Wheels.
17. Requires TiLite® Wheel with High Flange Hub. This tire fits wheel size 22" (507), not 24" (540). 22"(507) wheel will be used when this tire is selected.
18. Requires TiLite® Wheel with High Flange Hub or Spinergy SPOX™ or Spinergy LX™ Rear Wheels. This tire fits wheel size 25" (559), not 26" (590). 25"(559) wheel will be used when this tire is selected.
19. Not available with Skyway® Mags, 20" or 22" Rear Wheels, or 24" Knobby tires.
20. Not available with Skyway® Mags or 20" Rear Wheels.
21. Not available with 20" Rear Wheels, Skyway Mags, or 22" or 26" Spinergy SPOX or LX wheels.
22. Available with .75" to 1.5" Rear Wheel Spacing **I** only. Rear Wheel Spacing greater than 1-1/2" requires Composite Scissor or Uni-Lock. Not available with extension handles.
23. Not available with Taperd Seat or Ergonomic Seat. Black upholstery only.
24. Standard with C PACKAGE and Ergonomic Seat. Not Available with Depth Adjustable Back. Black upholstery only.
25. Not available with Ergonomic Seat.
26. Not Available with Ride Designs® Corbac™ back support.
27. Please allow an additional 2-3 weeks delivery.
28. Not available with 26"(590) Spinergy SPOX™ or LX, Skyway®Mags or Spinergy WIRE™ Rear Wheels.
29. Not Available with Skyway® Mags.
30. Not Available with Depth Adjustable Back.
31. Requires 15" minimum Seat Depth **B**.
32. Not available with Skyway® Mags or 20" Rear Wheels.
33. Not available with Angle Adjustable High Mount Footrest.

DESIGNS UNLIMITED



TiLite's ZR/ZRA offers more than 15 million different frame combinations! But sometimes even that's not enough. If you would like to customize your TiLite, check out the Designs Unlimited Studio at www.tilite.com. There you will find drawings and pricing for hundreds of creative solutions to customers' customization requests. We call these "D.U.'s." If you don't find the D.U. you're looking for, contact the TiLite Customer Service Team at 800.545.2266 or customerservice@tilite.com and we'll design a D.U. just for you. Designs Unlimited customization may add an additional 2 to 3 weeks to the ship time of your chair.

HCPCS

HCPCS Codes are for reference purposes only. Actual coding and coverage varies by payer. Proper HCPCS coding is not a guarantee of payment. Please verify the appropriate payer's coverage policy.

GENERAL

TiLite manufactures a wide variety of wheelchairs to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and advising healthcare professional. TiLite wheelchairs must be fitted by a qualified healthcare professional.

Print the latest order forms at tilite.com

Prices, standard features, options and accessories are subject to change without notice. TiLite, The Ultimate Ride and The Titanium Experts are trademarks of TiSport, LLC.



THE ULTIMATE RIDE.™

tilite.com
 1426 East Third Avenue | Kennewick, Washington 99337
 509.586.6117 Tel | 800.545.2266 Toll-Free
 509.586.2413 Fax | 866.586.2413 Toll-Free Fax